

VITA Fireplaces

North American Designed & Manufactured by **CF + D** | custom fireplace design



CALLISTA | Double-Sided
Suspended Fireplace with Vapor-Fire Burner

LAYOUT DRAWING


2/28/19

CF + D | custom fireplace design

www.customfireplacedesign.com

VITA Fireplaces


CALLISTA | Double-Sided Suspended Fireplace with Vapor-Fire Burner




Shown with Standard 9 ft. Flat Ceiling Application with Vapor-Fire
 Custom Lengths & Anchor Options Available

Anchor	77 lbs. approx.	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± ANGULAR: MACH ± BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ± INTERPRET GEOMETRIC TOLERANCING PER: MATERIAL FINISH DO NOT SCALE DRAWING	NAME	DATE	MODEL:	CALLISTA Double-Sided					
Flue	58 lbs. approx.		DRAWN	MP	2/28/2019	TITLE:	LAYOUT DRAWING				
Fireplace Body	190 lbs. approx.		CHECKED	MV	2/28/2019	SIZE				DWG. NO.	REV
Total Fireplace weight	325 lbs. approx.		ENG APPR.			A				SVF-04	0
*Each add'l. 1 ft. of flue pipe weighs: approx. 11 lbs.			MFG APPR.			SCALE: NTS					SHEET 2 OF 3
PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CUSTOM FIREPLACE DESIGN INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CUSTOM FIREPLACE DESIGN INC. IS PROHIBITED.			CF + D CUSTOM FIREPLACE DESIGN INC. 5230 HARVESTER RD. UNIT # 2 BURLINGTON, ONTARIO CANADA L7L 4X4 PHONE: 905-681-3070 FAX: 905-681-8697								


CUSTOM ANCHOR OPTIONS AVAILABLE




OPTION A - SLOPED DROP FROM ABOVE



OPTION B - SUSPENDED FROM CONCRETE



OPTION C - ATTACHED BELOW CONCRETE



**ANCHOR PLATE
24" SQ. x 0.25" THK.**

VITA Fireplaces

CALLISTA | Double-Sided Suspended Fireplace with Vapor-Fire Burner Product Information

- Vapor-Fire burner technology
- Realistic flame without heat
- No venting requirements
- Safe to the touch
- Fueled by regular tap water
- 120 Volt 15 Amp-GFCI
- All fireplaces come in black matte finish
- Custom colors and patina finishes available
- Heat available, most models

WATER SOURCE OPTIONS

- OPTION 1: Plumbed-In to main source water line, 1/2" reduced to 1/4" factory set connection.
- OPTION 2: Removable 1L container for manual fill approx. 8-10 hour burn time.

Recommended : Leak detection sensor for potential leak management.

Note: Exact measurements may vary ±1/2".

North American Designed & Manufactured
by
CF + D | custom fireplace design

UNLESS OTHERWISE SPECIFIED:		NAME	DATE	MODEL:
DIMENSIONS ARE IN INCHES		DRAWN	MP	2/28/2019
TOLERANCES:		CHECKED	MV	2/28/2019
FRACTIONAL ±		ENG APPR.		
ANGULAR: MACH ± BEND ±		MFG APPR.		
TWO PLACE DECIMAL ±		Q.A.		
THREE PLACE DECIMAL ±				
INTERPRET GEOMETRIC TOLERANCING PER:		CF + D CUSTOM FIREPLACE DESIGN INC. 5230 HARVESTER RD. UNIT # 2 BURLINGTON, ONTARIO CANADA L7L 4X4 PHONE: 905-681-3070 FAX: 905-681-8697		
MATERIAL				
FINISH		SIZE	DWG. NO.	REV
DO NOT SCALE DRAWING		A	SVF-04	0
		SCALE : NTS	SHEET 3 OF 3	