

VITA | Fireplaces

North American Designed & Manufactured by **CF + D** | custom fireplace design



Image shown is for illustration purpose and may include some optional features.

MONROE See-Thru | Suspended Gas Fireplace




Fireplaces have been tested and proved to comply with ANSI Z21.50/CSA 2.22 Vented Gas Fireplace. Certified under: ICC-ES PMG-1290

PRODUCT LAYOUT PACKAGE (HORIZONTAL TERMINATION)

2020-06-25

CF + D | custom fireplace design

www.customfireplacedesign.com



VITA | Fireplaces

MONROE See-Thru
Suspended Gas Fireplace

North American Designed &
Manufactured by:

CF + D

custom fireplace design

5230 Harvester Rd. Unit # 2
Burlington, Ontario Canada L7L 4X4
Phone: 905 681-3070 Fax: 905 681-8697

STANDARD PRODUCT WEIGHT

Anchor (Ø 12"x24" lg.)	85 lbs. approx.
Flue (Ø 8"x67" lg.)	60 lbs. approx.
Fireplace Body	165 lbs. approx.
Total Fireplace weight (for 9ft. ceiling application)	310 lbs. approx.


*Each add'l. 1 ft. of flue pipe weighs : approx. 11 lbs.
*Each add'l. 1 ft. of anchor pipe weighs : approx. 17 lbs.

Shown with Standard 9 ft. Flat Ceiling Application & Gas Burner

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CUSTOM FIREPLACE DESIGN. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CUSTOM FIREPLACE DESIGN IS PROHIBITED.

UNLESS OTHERWISE SPECIFIED

DIMENSIONS ARE IN INCHES
TOLERANCES:
FRACTIONAL ± 1/16
ANGULAR: MACH ± 1° BEND ± 0.5°
TWO PLACE DECIMAL ± 0.01
THREE PLACE DECIMAL ± 0.005




MONROE See-Thru | Suspended Gas Fireplace


Product Information

- Fireplaces have been tested and proved to comply with ANSI Z21.50/CSA 2.22 Vented Gas Fireplace. Certified under ICC-ES PMG-1290
- Natural Gas or Propane fueled.
- Natural Gas Burner: approx. 25,000 BTUs.
- Propane Burner: approx. 28,000 BTUs.
- 120 Volt 15 Amp required for venting.
- Gas & Electrical connection to be completed on-site at service door.
- 6" ID B-Vent chimney system required.
- All standard fireplaces painted in factory Flat Black finish.
- Custom Client finishes are available by request. Sample required.
- Dedicated wall switch required for operation.
- All dimensions are in inches.
- Exact measurements may vary ± 1/4".
- Optional decorative chimney cover available at add'l cost.
- Custom anchor options available at add'l cost.
- Enervex Intelli Draft and Damper system.
- 250CFM of make-up air recommended.
- Optional Inline Fan with flush terminal available. Inquire for details.


EXPLODED VIEW



STANDARD ANCHOR PLATE- 1/4" THICK.



LEFT SIDE ELEVATION



FRONT ELEVATION

RIGHT SIDE ELEVATION

VITA | Fireplaces

MONROE See-Thru
Suspended Gas Fireplace

North American Designed &
Manufactured by:

CF + D

custom fireplace design

5230 Harvester Rd. Unit # 2
Burlington, Ontario Canada L7L 4X4
Phone: 905 681-3070 Fax: 905 681-8697

Shown with Standard 9 ft. Flat
Ceiling Application & Gas Burner

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE
PROPERTY OF CUSTOM FIREPLACE DESIGN.
ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE
WRITTEN PERMISSION OF CUSTOM FIREPLACE DESIGN IS PROHIBITED.

UNLESS OTHERWISE SPECIFIED

DIMENSIONS ARE IN INCHES

TOLERANCES:

FRACTIONAL $\pm 1/16$ ANGULAR: MACH $\pm 1^\circ$ BEND $\pm 0.5^\circ$ TWO PLACE DECIMAL ± 0.01 THREE PLACE DECIMAL ± 0.005

PROJECT

MONROE See-Thru | Suspended Gas Fireplace


PART NUMBER

REV
0

DESCRIPTION	Specifications
1. General Information	- Project Name: [Project Name] - Client: [Client Name] - Version: [Version Number]
2. Objectives	- Objective 1: [Objective 1] - Objective 2: [Objective 2] - Objective 3: [Objective 3]
3. Scope	- Scope 1: [Scope 1] - Scope 2: [Scope 2] - Scope 3: [Scope 3]
4. Methodology	- Methodology 1: [Methodology 1] - Methodology 2: [Methodology 2] - Methodology 3: [Methodology 3]
5. Timeline	- Timeline 1: [Timeline 1] - Timeline 2: [Timeline 2] - Timeline 3: [Timeline 3]
6. Budget	- Budget 1: [Budget 1] - Budget 2: [Budget 2] - Budget 3: [Budget 3]
7. Risks	- Risk 1: [Risk 1] - Risk 2: [Risk 2] - Risk 3: [Risk 3]
8. Conclusion	- Conclusion 1: [Conclusion 1] - Conclusion 2: [Conclusion 2] - Conclusion 3: [Conclusion 3]

	NAME	DATE (mm/dd/yyyy)
DRAWN	mpanchal	2020-06-25
CHECKED	MV	2020-06-25
APPROVED	--	NA

SIZE B	SHEET 3 OF 7	DO NOT SCALE DRAWING
---------------	--------------	----------------------



VITA | Fireplaces

MONROE See-Thru Suspended Gas Fireplace

North American Designed &
Manufactured by:

CF + D

custom fireplace design


5230 Harvester Rd. Unit # 2
Burlington, Ontario Canada L7L 4X4
Phone: 905 681-3070 Fax: 905 681-8697

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE
PROPERTY OF CUSTOM FIREPLACE DESIGN.
ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE
WRITTEN PERMISSION OF CUSTOM FIREPLACE DESIGN IS PROHIBITED.

UNLESS OTHERWISE SPECIFIED

DIMENSIONS ARE IN INCHES
TOLERANCES:
FRACTIONAL $\pm 1/16$
ANGULAR: MACH $\pm 1^\circ$ BEND $\pm 0.5^\circ$
TWO PLACE DECIMAL ± 0.01
THREE PLACE DECIMAL ± 0.005



PROJECT

MONROE See-Thru | Suspended Gas Fireplace

PART NUMBER


REV
0

DESCRIPTION

Anchor Options

	NAME	DATE (mm/dd/yyyy)
DRAWN	mpanchal	2020-06-25
CHECKED	MV	2020-06-25
APPROVED	--	NA

SIZE **B** SHEET 4 OF 7 DO NOT SCALE DRAWING



VITA | Fireplaces

MONROE See-Thru
Suspended Gas Fireplace

North American Designed &
Manufactured by:

CF + D

custom fireplace design


5230 Harvester Rd. Unit # 2
Burlington, Ontario Canada L7L 4X4
Phone: 905 681-3070 Fax: 905 681-8697

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE
PROPERTY OF CUSTOM FIREPLACE DESIGN.
ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE
WRITTEN PERMISSION OF CUSTOM FIREPLACE DESIGN IS PROHIBITED.

UNLESS OTHERWISE SPECIFIED

DIMENSIONS ARE IN INCHES
TOLERANCES:
FRACTIONAL $\pm 1/16$
ANGULAR: MACH $\pm 1^\circ$ BEND $\pm 0.5^\circ$
TWO PLACE DECIMAL ± 0.01
THREE PLACE DECIMAL ± 0.005



PROJECT

MONROE See-Thru | Suspended Gas
Fireplace

PART NUMBER

REV
0

DESCRIPTION


Clearance to Combustibles

	NAME	DATE (mm/dd/yyyy)
DRAWN	mpanchal	2020-06-25
CHECKED	MV	2020-06-10
APPROVED	--	NA

SIZE **B** SHEET 5 OF 7 DO NOT SCALE DRAWING

CLEARANCE TO COMBUSTIBLES:

1. Minimum 12" from floor to bottom of fireplace.
2. Minimum 12" around the fireplace body and flue pipe.
3. Minimum 1" where the anchor passes through the ceiling/roof.
4. Minimum 1" around the chimney components.



TYPICAL VITA GAS ENERVEX ELECTRICAL DIAGRAM

VITA | Fireplaces

MONROE See-Thru
Suspended Gas Fireplace
North American Designed &
Manufactured by:

CF + D

custom fireplace design


5230 Harvester Rd. Unit # 2
Burlington, Ontario Canada L7L 4X4
Phone: 905 681-3070 Fax: 905 681-8697

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE
PROPERTY OF CUSTOM FIREPLACE DESIGN.
ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE
WRITTEN PERMISSION OF CUSTOM FIREPLACE DESIGN IS PROHIBITED.

UNLESS OTHERWISE SPECIFIED

DIMENSIONS ARE IN INCHES
TOLERANCES:
FRACTIONAL $\pm 1/16$
ANGULAR: MACH $\pm 1^\circ$ BEND $\pm 0.5^\circ$
TWO PLACE DECIMAL ± 0.01
THREE PLACE DECIMAL ± 0.005



PROJECT
MONROE See-Thru | Suspended Gas
Fireplace

PART NUMBER REV
0

DESCRIPTION
Electrical Diagram

	NAME	DATE (mm/dd/yyyy)
DRAWN	mpanchal	2020-06-25
CHECKED	MV	2020-06-10
APPROVED	--	NA

SIZE **B** SHEET 6 OF 7 DO NOT SCALE DRAWING

