

VITA | Fireplaces

North American Designed & Manufactured by CF + D | custom fireplace design



Image shown is for illustration purpose and may include some optional features.

AIDAN | Wall-Mount Fireplace with Vapor-Fire Burner

LAYOUT DRAWING



REV. I • FEB. 2026

CF + D | custom fireplace design

www.customfireplacedesign.com

VITA | Fireplaces

AIDAN | Wall-Mount Fireplace with Vapor-Fire Burner




Shown with Standard 9 ft. Flat Ceiling Application
with Vapor-Fire
Custom Lengths Available

**NOTE: Dedicated wall switch
required for operation.**

Mounting Plate	20 lbs. approx.	UNLESS OTHERWISE SPECIFIED:		NAME	DATE	MODEL:	AIDAN Wall-Mount		
Fireplace Body	170 lbs. approx.	DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± ANGULAR: MACH ± BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±	DRAWN	PT	2026/02/06	TITLE:			
Flue & Trim Cover	67 lbs. approx.		CHECKED	BV	2026/02/06				
Total Fireplace Weight	257 lbs. approx.	INTERPRET GEOMETRIC TOLERANCING PER:	ENG APPR.						
*Each add'l. 1 ft. of flue pipe weighs: approx. 11 lbs.		MATERIAL	Q.A.				SIZE	DWG. NO.	REV
PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CUSTOM FIREPLACE DESIGN INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CUSTOM FIREPLACE DESIGN INC. IS PROHIBITED.		FINISH	CF + D CUSTOM FIREPLACE DESIGN INC. 5230 HARVESTER RD. UNIT # 2 BURLINGTON, ONTARIO CANADA L7L 4X4 PHONE: 905-681-3070 FAX: 905-681-8697			A	WMVF-02		0
		DO NOT SCALE DRAWING				SCALE: NTS	SHEET 2 OF 3		

EXPLODED VIEW WITH WALL MOUNTING DETAILS



VITA | Fireplaces

AIDAN | Wall-Mount Fireplace with Vapor-Fire Burner

Product Information

- Vapor-Fire burner technology
- Realistic flame without heat
- No chimney venting requirements
- Safe to the touch
- Fueled by regular tap water (softened/filtered water if required)
- 120 Volt 15 Amp-GFCI
- All fireplaces factory Flat Black finish
- Custom Client finishes are available by request. Sample required.
- Heat available, most models
- Dedicated wall switch required for operation

WATER SOURCE OPTIONS

- OPTION 1: Plumbed-In to main source water line, 1/2" reduced to 1/4" factory set connection.
- OPTION 2: Removable 1L container for manual fill approx. 8-10 hour burn time.

Recommended: Leak detection sensor for potential leak management.

Note: Exact measurements may vary ±1/2".

North American Designed & Manufactured
by
CF + D | custom fireplace design

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CUSTOM FIREPLACE DESIGN INC.
ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CUSTOM FIREPLACE DESIGN INC.
IS PROHIBITED.

UNLESS OTHERWISE SPECIFIED:	NAME	DATE	MODEL:
DIMENSIONS ARE IN INCHES	DRAWN	PT	2026/02/06
TOLERANCES:	CHECKED	BV	2026/02/06
FRACTIONAL ±	ENG APPR.		
ANGULAR: MACH ±	MFG APPR.		
TWO PLACE DECIMAL ±	Q.A.		
THREE PLACE DECIMAL ±			
INTERPRET GEOMETRIC TOLERANCING PER:	CF + D		
MATERIAL	CUSTOM FIREPLACE DESIGN INC.		
FINISH	5230 HARVESTER RD. UNIT # 2		
	BURLINGTON, ONTARIO CANADA L7L 4X4		
	PHONE: 905-681-3070 FAX: 905-681-8697		
DO NOT SCALE DRAWING	SIZE	DWG. NO.	REV
	A	WMVF-02	0
	SCALE: NTS		SHEET 3 OF 3